

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,970	813,970 03/31/2004		Paul Philip Brown	155-21	5922
22653	7590	12/12/2005		EXAMINER	
EDWARD Y		AN	HUSON, MONICA A		
3830 VALLE		RE DRIVE	ART UNIT	PAPER NUMBER	
SAN DIEGO	, CA 92	130	1732	·	

DATE MAILED: 12/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			W					
	Application No.	Applicant(s)						
	10/813,970	BROWN ET AL.						
Office Action Summary	Examiner	Art Unit						
	Monica A. Huson	1732						
The MAILING DATE of this communication app Period for Reply	The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a reply vill apply and will expire SIX (6) MONTH: , cause the application to become ABAN	TION. be timely filed from the mailing date of this communication DONED (35 U.S.C. § 133).						
Status								
 1) ☐ Responsive to communication(s) filed on 18 No. 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under Exercise. 	action is non-final.		is					
Disposition of Claims								
4) Claim(s) 1-4 and 12-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-4 and 12-15 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.								
Application Papers								
9) The specification is objected to by the Examiner 10) The drawing(s) filed on 31 March 2004 is/are: a Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner	a) accepted or b) object drawing(s) be held in abeyance ion is required if the drawing(s)	See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121	(d).					
Priority under 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
Attachment(s)								
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/M	mary (PTO-413) ail Date nal Patent Application (PTO-152)						

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

Art Unit: 1732

DETAILED ACTION

This office action is in response to the Amendment filed 18 November 2005.

Due to applicant's amendment, the previous rejections are withdrawn.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 and 12-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Cole (U.S. Patent 4,541,795). Regarding Claim 1, Cole shows that it is known to carry out a method for manufacturing a hollow plastic product with two open ends and a substantially tubular section (Figure 2), the process comprising the steps of a providing a cavity mold part with a generally cylindrical portion for forming at least an outside segment of the substantially tubular section of the product (Figure 3, e.g. element 107); b. providing a core mold part with a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product (Figure 3, e.g. element 119); c. combining the cavity mold part with the core mold part to configure a mold cavity for forming a product with one open end, one closed end and a substantially tubular section (Figure 3); d. injecting plastic material into the mold cavity to form the molded plastic product (Column 8, lines 57-59); e. separating the core mold part from the cavity mold part while retaining the molded product on the core mold part (Column 8,

Art Unit: 1732

lines 65-68; Figure 4); f. removing the molded product from the core mold part (Figures 5, 6; Column 9, lines 16-18); g. after step f., removing at least a portion of the closed end of the molded product to provide the molded product with two open ends and a substantially tubular section (Figure 2; Column 3, lines 30-39; Column 5, lines 11-53); wherein step f. comprises injecting compressed air into the closed end of the molded product to thereby at least help remove the molded product from the core mold part (Column 6, lines 39-46; Column 7-14; Column 9, lines 54-62).

Regarding Claim 2, Cole shows the process as claimed as discussed in the rejection of Claim 1 above, including a method wherein step f. comprises the step of h. including injecting compressed air through the core mold part into the closed end of the molded product (Column 6, lines 39-46; Column 7-14; Column 9, lines 54-62).

Regarding Claim 3, Cole shows the process as claimed as discussed in the rejection of Claim 1 above, including a method wherein the product further includes a thread at the outside of one end of the product (Figure 1), wherein step a. comprises h. providing a said cavity mold part that includes a thread-forming portion for forming the thread of product (Figure 3, element 105); wherein step b. comprises the step of i. providing a said core mold part that includes an inner core that is movable relative to the generally cylindrical portion for forming a portion of the product lying inside the thread when the inner core is protracted (Column 7, lines 59-66); wherein step c. further comprises the step of j. protracting the inner core to further configure the mold cavity for forming the product (Figure 3); wherein the process further comprises the step of k. subsequent to the injection of the plastic according to step d., retracting the inner core (Figure 4); and wherein separation of the core mold part from the cavity mold part

Art Unit: 1732

according to step e. thereby removes the thread from the thread forming portion of the cavity mold part (Figure 6).

Regarding Claim 12, Cole shows that it is known to have an apparatus for manufacturing a hollow plastic product with two open ends and a substantially tubular section (Figure 2), comprising a cavity mold part with a generally cylindrical portion for forming at least an outside segment of the substantially tubular section of the product (Figure 3); a core mold part with a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product (Figure 3); wherein a mold cavity for forming a molded product with one open end, one closed end, and a substantially tubular section is configured when the cavity mold part is combined with the core mold part, and the molded product is formed by injecting plastic material into the mold cavity (Figure 3); means for injecting compressed air into the closed end of the molded product to thereby at least help remove the molded product from the core mold after the core mold part has been separated from the cavity mold part while retaining the molded product on the core mold part (Figure 6, e.g. element 115); and means for removing at least a portion of the closed end of the molded product after the molded product has been removed from the core mold part to provide the molded product with two open ends and a substantially tubular section (Figure 2, e.g. element 26).

Regarding Claim 13, Cole shows the apparatus as claimed as discussed in the rejection of Claim 12 above, including an apparatus wherein the core mold part includes means for channeling compressed air through the core mold part into the closed end of the molded product (Figure 6, e.g. element 115).

Art Unit: 1732

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cole.

Regarding Claim 4, Cole shows that it is known to carry out a method for manufacturing a hollow plastic product with a substantially tubular section and a thread at the outside of one end of the product (Figure 1), the process comprising the steps of a. providing a cavity mold part with a generally cylindrical portion for forming at least an outside segment of the substantially tubular section of the product and a thread forming portion for forming the thread of the product (Figure 3); b. providing a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product and an inner core that is movable relative to the generally cylindrical portion for forming a portion of the product lying inside the thread when the inner core is protracted (Figure 3, e.g. element 119, 111; Column 7, lines 59-66); c. combining the cavity mold part with the core mold part and protracting the inner core to configure a mold cavity for forming the product (Figure 3); d. injecting plastic material into the mold cavity to form the molded plastic product (Column 8, lines 57-59); e. retracting the inner core (Figure 4); and f. separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show separating the

Art Unit: 1732

core mold part from the cavity mold part to thereby remove the thread from the threadforming portion of the cavity mold part while retaining the molded product on the core
mold part, he clearly discloses that his movable mold pieces can be moved in any desired
sequence, as is well-known in the art (Column 6, lines 60-68). Therefore, it would have
been prima facie obvious to one of ordinary skill in the art at the time the invention was
made to separate the core mold part from the cavity mold part to thereby remove the
thread from the thread-forming portion of the cavity mold part while retaining the molded
product on the core mold part in order to satisfy specific process or end-use requirements.

Regarding Claim 14, Cole shows the apparatus as claimed as discussed in the rejection of Claim 12 above, wherein the product further includes a thread at the outside of one end of the product (Figure 1); wherein the cavity mold part includes a thread forming portion for forming the thread of the product (Figure 3); wherein the core mold part includes an inner core that is movable relative to the generally cylindrical portion for forming a portion of the product lying inside the thread when the inner core is protracted (Figure 3, e.g. element 119, 111; Column 7, lines 59-66); wherein the mold cavity for forming the molded product with a thread at the outside of one end of the product is configured when the cavity mold part is combined with the core mold part and the inner core is protracted (Figure 3); and wherein the apparatus comprises means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part, he clearly discloses that his movable

Art Unit: 1732

mold pieces can be moved in any desired sequence, as is well-known in the art (Column 6, lines 60-68). Therefore, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to provide means to separate the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part in order to satisfy specific process or end-use requirements.

Regarding Claim 15, Cole shows that it is known to have an apparatus for manufacturing a hollow plastic product with a substantially tubular section and a thread at the outside of one end of the product (Figures 1-2), comprising a cavity mold part with a generally cylindrical portion for forming at least an outside segment of the substantially tubular section of the product and a thread forming portion for forming the thread of the product (Figure 3); a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product and an inner core that is movable relative to the generally cylindrical portion for forming a portion of the product lying inside the thread when the inner core is protracted (Figure 3, e.g. element 119, 111; Column 7, lines 59-66); wherein a mold cavity for forming a molded product with a substantially tubular section and a thread at the outside of one end of the product is configured when the cavity mold part is combined with the core mold part and the inner core is protracted, and the molded product is formed by injecting plastic material into the mold cavity (Figure 3; Column 8, lines 57-59); and means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show means for separating the core mold part from the cavity mold

Art Unit: 1732

part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part, he clearly discloses that his movable mold pieces can be moved in any desired sequence, as is well-known in the art (Column 6, lines 60-68). Therefore, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to provide means to separate the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part in order to satisfy specific process or end-use requirements.

Response to Arguments

Applicant's arguments with respect to claims 1-4 and 12-15 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 1732

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Monica A. Huson whose telephone number is 571-272-1198. The examiner can normally be reached on Monday-Friday 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Colaianni can be reached on 571-272-1196. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Monica A Huson December 7, 2005

MICHAEL P. COLAIANNI SUPERVISORY PATENT EXAMINER